



TATA ACE GOLD CNG



MUNAFA PRATI MAAH ₹25 000* SE BHI ZYAADA





THE BEST ENTRY LEVEL MINI TRUCK FOR FIRST TIME USERS

The TATA Ace Gold CNG is ready to drive the aspirations of millions of Indian entrepreneurs. Helping them boost their business by delivering low operating expense and the highest earning capacity in its class.

TATA ACE has been the first choice of over 23 lakh first-time entrepreneurs for over 16 years.

High Resale Value

Profit ₹25 000/ month onwards*



Also available in

Petrol and Diesel variants

TATA ACE GOLD CNG

GET YOUR KEY TO SUCCESS AT AFFORDABLE COST

TATA Ace Gold CNG is powered with BS6 technology to drive performance and profits with ease.



High Power: 19.4 kW (26 hp) for higher speed

High Pickup: 50 Nm for faster trips

High Gradeability: 29% to negotiate flyovers and gradients





Gear Shift Advisor







Instrument Cluster

USB Charger



High Payload of 640 kg in CNG Leaf Spring Suspension Heavy Duty Chassis





Simple Engine
Long Service Intervals
2 Years / 72 000 km Warranty



High Fuel Savings High Load Carrying Capacity Low Maintenance High Profits

Complete range of services for complete peace of mind





TECHNICAL SPECIFICATIONS

| Technical Specifications | Tata Ace Gold CNG BS6 |
|----------------------------|--|
| Engine | 2-cylinder, 694 cc multipoint gas injection engine |
| Max. Power | 19.4 kW (26 hp) @ 4 000 r/min |
| Max. Torque | 50 Nm @ 2 500 r/min |
| Max. Gradeability | 29% |
| Gearbox Type | GBS 65-5/5.6 |
| Fuel Tank Capacity | 70 l (12 kg) |
| Clutch | Single plate dry friction diaphragm type |
| Brakes | Front - Disc brakes; Rear - Drum brakes |
| Suspension Front | Parabolic leaf spring |
| Suspension Rear | Semi-elliptical leaf spring |
| Tyres | 145 R12 LT 8PR Radial |
| Dimensions (in mm) | |
| Length | 4 075 |
| Width | 1500 |
| Height | 1850 |
| Wheelbase | 2 250 |
| Ground Clearance | 160 |
| Cargo Box Dimensions | 2 520 x 1 490 x 300 |
| Min. Turning Circle Radius | 4 625 |
| Weight (in kg) | |
| Max. GVW | 1630 |
| Payload | 640 |

* Standard terms & conditions apply.





